



GENERAL NOTES

1. INSTALLATION TO BE COMPLETED IN ACCORDANCE WITH MANUFACTURER'S SPECIFICATIONS.
2. FILTER FABRIC SIDE OF SITEDRAIN SHEET DRAIN AND SITEDRAIN HQ DRAIN SHOULD BE FACING THE BACKFILL MATERIAL.
3. BLEEDER OUTLET SHOULD DISCHARGE TO ADDITIONAL UNDERSLAB DRAINAGE AND/OR SUMP SYSTEMS.



AWD - AMERICAN WICK DRAIN CORPORATION
 1209 AIRPORT ROAD
 MONROE, NC 28110 USA
 TOLL-FREE (US/CAN): +1 800-242-9425
 PHONE: +1 704-238-9200
 EMAIL: INFO@AWD-USA.COM
 WEBSITE: WWW.AWD-USA.COM



STRUCTURAL WALL DRAINAGE - FOOTING BLEEDER OUTLET OPTION
 SITEDRAIN PREFABRICATED GEOCOMPOSITE DRAINAGE SYSTEM

DRAWN/EDITED BY : TMS	PROJECT : TYPICAL DETAILS	REVISION DATE : 08/2023
CHECKED/APRVD BY : SMM	SCALE : NTS	SHEET 1 OF 1